




**Betriebsort:**

**Ihre Tankdaten:**



|             |         |          |                                  |                                                   |
|-------------|---------|----------|----------------------------------|---------------------------------------------------|
| Hersteller: | Nummer: | Baujahr: | Grösse/ltr.<br><b>25.000 ltr</b> | Abmessungen:<br><b>Ø 250 cm,<br/>Länge 558 cm</b> |
|-------------|---------|----------|----------------------------------|---------------------------------------------------|

**Peiltabelle** für liegende Lagerbehälter nach DIN 6608/6616

| Höhe<br>cm | ltr   | Höhe<br>cm | ltr   | Höhe<br>cm | ltr   | Höhe<br>cm | ltr    | Höhe<br>cm | ltr    | Höhe<br>cm | ltr    | Höhe<br>cm | ltr    | Höhe<br>cm | ltr    |
|------------|-------|------------|-------|------------|-------|------------|--------|------------|--------|------------|--------|------------|--------|------------|--------|
| 5          | 114   | 38         | 2.358 | 67         | 5.391 | 96         | 8.951  | 125        | 12.756 | 154        | 16.557 | 183        | 20.105 | 212        | 23.119 |
| 10         | 323   | 39         | 2.450 | 68         | 5.507 | 97         | 9.080  | 126        | 12.888 | 155        | 16.685 | 184        | 20.220 | 213        | 23.209 |
| 11         | 372   | 40         | 2.543 | 69         | 5.624 | 98         | 9.209  | 127        | 13.021 | 156        | 16.812 | 185        | 20.334 | 214        | 23.298 |
| 12         | 424   | 41         | 2.637 | 70         | 5.741 | 99         | 9.338  | 128        | 13.153 | 157        | 16.940 | 186        | 20.447 | 215        | 23.386 |
| 13         | 478   | 42         | 2.732 | 71         | 5.858 | 100        | 9.467  | 129        | 13.286 | 158        | 17.067 | 187        | 20.560 | 216        | 23.473 |
| 14         | 534   | 43         | 2.829 | 72         | 5.976 | 101        | 9.597  | 130        | 13.418 | 159        | 17.194 | 188        | 20.672 | 217        | 23.558 |
| 15         | 592   | 44         | 2.926 | 73         | 6.095 | 102        | 9.727  | 131        | 13.551 | 160        | 17.320 | 189        | 20.783 | 218        | 23.642 |
| 16         | 652   | 45         | 3.024 | 74         | 6.214 | 103        | 9.857  | 132        | 13.683 | 161        | 17.446 | 190        | 20.894 | 219        | 23.726 |
| 17         | 714   | 46         | 3.123 | 75         | 6.334 | 104        | 9.987  | 133        | 13.815 | 162        | 17.572 | 191        | 21.004 | 220        | 23.807 |
| 18         | 777   | 47         | 3.223 | 76         | 6.454 | 105        | 10.118 | 134        | 13.947 | 163        | 17.697 | 192        | 21.113 | 221        | 23.888 |
| 19         | 843   | 48         | 3.324 | 77         | 6.575 | 106        | 10.248 | 135        | 14.079 | 164        | 17.822 | 193        | 21.222 | 222        | 23.967 |
| 20         | 910   | 49         | 3.425 | 78         | 6.696 | 107        | 10.379 | 136        | 14.211 | 165        | 17.946 | 194        | 21.329 | 223        | 24.045 |
| 21         | 978   | 50         | 3.528 | 79         | 6.818 | 108        | 10.510 | 137        | 14.343 | 166        | 18.070 | 195        | 21.436 | 224        | 24.121 |
| 22         | 1.048 | 51         | 3.631 | 80         | 6.940 | 109        | 10.641 | 138        | 14.475 | 167        | 18.194 | 196        | 21.542 | 225        | 24.196 |
| 23         | 1.120 | 52         | 3.736 | 81         | 7.063 | 110        | 10.773 | 139        | 14.606 | 168        | 18.317 | 197        | 21.648 | 226        | 24.270 |
| 24         | 1.193 | 53         | 3.841 | 82         | 7.186 | 111        | 10.904 | 140        | 14.738 | 169        | 18.440 | 198        | 21.752 | 227        | 24.342 |
| 25         | 1.268 | 54         | 3.947 | 83         | 7.310 | 112        | 11.036 | 141        | 14.869 | 170        | 18.562 | 199        | 21.856 | 228        | 24.412 |
| 26         | 1.344 | 55         | 4.054 | 84         | 7.434 | 113        | 11.168 | 142        | 15.000 | 171        | 18.684 | 200        | 21.958 | 229        | 24.481 |
| 27         | 1.422 | 56         | 4.161 | 85         | 7.558 | 114        | 11.300 | 143        | 15.131 | 172        | 18.806 | 201        | 22.060 | 230        | 24.549 |
| 28         | 1.500 | 57         | 4.269 | 86         | 7.683 | 115        | 11.432 | 144        | 15.262 | 173        | 18.926 | 202        | 22.161 | 231        | 24.614 |
| 29         | 1.581 | 58         | 4.378 | 87         | 7.808 | 116        | 11.564 | 145        | 15.392 | 174        | 19.047 | 203        | 22.261 | 232        | 24.678 |
| 30         | 1.662 | 59         | 4.488 | 88         | 7.934 | 117        | 11.696 | 146        | 15.522 | 175        | 19.167 | 204        | 22.361 | 233        | 24.741 |
| 31         | 1.745 | 60         | 4.599 | 89         | 8.060 | 118        | 11.828 | 147        | 15.653 | 176        | 19.286 | 205        | 22.495 | 234        | 24.801 |
| 32         | 1.829 | 61         | 4.710 | 90         | 8.186 | 119        | 11.961 | 148        | 15.782 | 177        | 19.405 | 206        | 22.556 | 235        | 24.859 |
| 33         | 1.914 | 62         | 4.822 | 91         | 8.313 | 120        | 12.093 | 149        | 15.912 | 178        | 19.523 | 207        | 22.653 | 236        | 24.916 |
| 34         | 2.001 | 63         | 4.934 | 92         | 8.440 | 121        | 12.226 | 150        | 16.042 | 179        | 19.641 | 208        | 22.748 | 237        | 24.970 |
| 35         | 2.088 | 64         | 5.048 | 93         | 8.567 | 122        | 12.358 | 151        | 16.171 | 180        | 19.758 | 209        | 22.842 | 238        | 25.023 |
| 36         | 2.177 | 65         | 5.162 | 94         | 8.695 | 123        | 12.491 | 152        | 16.300 | 181        | 19.874 | 210        | 22.936 | 240        | 25.121 |
| 37         | 2.267 | 66         | 5.276 | 95         | 8.823 | 124        | 12.623 | 153        | 16.428 | 182        | 19.990 | 211        | 23.028 | 245        | 25.318 |

Tabellenzahlen rechnerisch ermittelt, für amtliche Zwecke nicht geeignet.

Aufgrund der üblichen Toleranzen und der unterschiedlichen Einbaubedingungen sind Abweichungen bis zu 6% möglich.